

The effects of chemical composition and distribution on the preservation of phytolith morphology

Yan Wu · Yimin Yang · Hua Wang · Changsui Wang

Received: 6 August 2012 / Accepted: 5 February 2013 / Published online: 13 February 2013
© Springer-Verlag Berlin Heidelberg 2013

Abstract Different types of phytolith even when coming from the same plant react to high temperatures in different ways. To understand the behavior of phytoliths upon heating, we examined composition and distribution of some elements within different phytolith types using SEM-EDS and synchrotron radiation μ -X-ray fluorescence. By analyzing phytoliths from rice husk, rice leaf and *Than* tree leaf, we find that the compositions and distributions of metal oxides within different phytolith types are quite different. It is well known that metal oxides have been used as fluxing agent to reduce the melting temperature of SiO_2 in the production of glass, and different metal oxides can be used to produce a variety of glass with diverse features. Similarly, metal elements including potassium, magnesium and calcium in phytoliths should also act as a fluxing agent under high temperature, and the differential compositions and distributions of these metal elements within the phytoliths resulted in the variable reaction to heating. In sum, there is a negative relationship between the flux elements composition in phytoliths, and the temperatures at which phytoliths deform; furthermore, potassium and calcium in the rice leaf phytolith are almost evenly distributed in all parts,

which may cause the phytolith's shape to deform evenly. In comparison, *Than* tree leaf phytolith is found to have a high percentage of potassium and calcium located exclusively on the outside, which may explain why the deformation of *Than* tree leaf phytolith occurs firstly at the outside.

1 Introduction

Phytoliths, or opal phytoliths, are microscopic biogenic mineral structures composed primarily of silica that, depending on the species of plant, are deposited between the plant cells, within cell walls, or completely infilling the cells. Since phytoliths can take on a considerable variety of forms, they can be used to provide significant taxonomic information for identifying a specific genus or species according to their shape, size, ornaments, cell orientation and other anatomical features [11, 12, 18]. During the last decade phytolith analysis has brought new insights into environmental and agricultural archaeology (e.g., [1, 6, 9–12, 14–16]). A few studies have focused on the chemical composition of the silica component of phytoliths to learn about past climatic conditions or taphonomy [2, 4, 17]. The organic molecules trapped within the silica have also been studied in order to learn about prehistoric plant biochemistry or for radiocarbon dating [7, 13].

In our previous work, we studied the phytolith extracted from Xuan Paper which is widely used in ancient painting to explore a new method for characterization and identification of ancient paper [5, 8]. It is well known that Xuan Paper was made from two types of material: (1) *Pteroceltis tatarinowii* Maxim., also called *Than* tree in Chinese, which is a unique tree in China. (2) *Oryza sativa* L. (Rice). In our

Y. Wu · Y. Yang · C. Wang (✉)
Key Laboratory of Vertebrate Evolution and Human Origin of
Chinese Academy of Sciences, Institute of Vertebrate
Paleontology and Paleoanthropology, Chinese Academy of
Sciences, Beijing 100044, China
e-mail: cswang@gucas.ac.cn

Y. Yang · C. Wang
Department of Scientific History and Archaeometry, University of
Chinese Academy of Sciences, Beijing 100049, China

H. Wang
Shanghai Synchrotron Radiation Facility, Shanghai 201800,
China

study, we can find an abundance of rice phytolith in hand-made Xuan paper. However, we can hardly find any phytolith which has obvious characteristics of *Than* tree [8]. To make clear the reason, we investigated the alteration of rice phytolith and *Than* tree phytolith in extreme environments. We designed a set of experiments that the rice phytolith and *Than* tree phytolith were heated at a series of temperatures. Based on the morphological analysis [8, 19], it was demonstrated that different types of phytolith lose their diagnostic morphological characteristics under significantly different high temperatures. The consistent loss of morphological characteristics is demonstrated by heating phytolith types at graduated intervals. Given the consistent results of the alteration of different type of phytoliths at specific temperatures it should eventually be possible to use phytolith alterations as a proximal measure of the original firing temperature of ancient objects and features [19]. In this work, we will continue to study the chemical composition and distribution of these phytoliths using SEM–EDS and synchrotron radiation μ -X-ray fluorescence to understand the reason for their different behaviors at high temperatures.

2 Materials and methods

We obtained rice husk phytolith, rice leaf phytolith and *Than* tree leaf phytolith from modern plant materials from four different places within China, including the provinces of Anhui, Henan, Jiangxi, Zhejiang [19]. We analyze one sample of rice husk, rice leaf and *Than* tree leaf from each location. For each type of phytolith, we choose one representative phytolith for analysis. For rice husk phytolith, we analyzed the double peaked glume cell from the epidermis of the rice husk. For rice leaf phytolith, we analyzed the bilobates short cell from the rice leaf bottom epidermis, which is parallel to each other along the long axes with thick multiple ridges. For *Than* tree leaf phytolith, we analyzed hair cell base. Following the resulting slides were scanned for diagnostic phytoliths under a light microscope, the phytoliths were examined for their chemical constituents using by SEM–EDS and synchrotron radiation μ -X-ray fluorescence.

Scanning electron microscopy (SEM) coupled with an energy dispersive X-ray analyzer (EDS) was used to study the morphology and elemental composition of material surfaces. In order to understand the source of variation in the

melting temperature of phytoliths from different parts of plants, we use SEM–EDS to obtain elemental composition of rice husk phytoliths, rice leaf phytoliths and *Than* tree leaf phytoliths. All SEM–EDS values given were taken from a JSM-6610 LA scanning electron microscope with EDS. The characteristic X-rays were detected 1.0 nA and the measuring time was 30–70 seconds.

The X-ray microfocus beamline (BL15U1) at the Shanghai Synchrotron Radiation Facility, which is a hard X-ray microprobe designed for microanalysis of heterogeneous materials with sensitivity and high spatial resolution, can analyze distribution of elements and microstructure of samples. In order to explore the distribution of elements from phytoliths, synchrotron radiation μ -XRF mapping was performed in this beamline station. The X-ray energy was tuned to 11.96 keV by means of the undulator gap and a Si (111) double crystal monochromator (DCM). The beam spot size was set as $5.1 \times 4.4 \mu\text{m}^2$. A few phytoliths of rice and *Than* tree were measured by μ -XRF mapping. We measured the types of phytolith four times, and found the elemental distribution of the same phytolith is similar. Representative pictures were selected to show the potassium and calcium’s distribution in rice leaf phytolith and *Than* tree leaf phytolith.

3 Results and discussion

3.1 SEM–EDS

Our previous experiments showed that the morphology of the tested phytoliths altered differently at the designed temperatures [19]. Based on the morphological analysis (Table 1), it was found that the morphological characteristics of rice husk phytoliths can resist significant change even under temperature exceeding 1000 °C (Table 1). The physical characteristics of rice leaf phytoliths are significantly altered when the temperatures exceed 900 °C (Table 1). The morphology of phytoliths from *Than* tree leaf begins to lose their characteristic form at 700 °C (Table 1). To understand the behavior of rice husk phytolith, rice leaf phytolith and *Than* tree leaf phytolith under high temperature, we use SEM–EDS to obtain elemental composition of these phytoliths. We analyze one sample from each of four locations for three types of phytolith. As shown in Table 2, these phytoliths are composed of varying amounts of silicon, oxygen, calcium,

Table 1 Change degree of phytolith morphology in different temperatures

Type	400 °C	500 °C	600 °C	700 °C	800 °C	900 °C	1000 °C	1100 °C
rice husk phytolith	N	N	N	N	N	N	N	N
rice leaf phytolith	N	N	N	N	M	D	D	D
<i>Than</i> tree leaf phytolith	N	N	M	L	D	D	D	D

N: no change, S: slightly changed, M: partly changed, L: largely changed, D: destroyed

Table 2 SEM–EDX of phytoliths, showing elemental composition (wt%)

Samples	C	O	Mg	Na	Si	P	S	K	Ca
rice husk phytolith 1	1.72	19.21			76.61			2.46	
rice husk phytolith 2	2.14	15.30			79.91			2.74	
rice husk phytolith 3		18.41			78.5			3.09	
rice husk phytolith 4		26.19			71.64			2.17	
rice leaf phytolith 1		8.69	7.50		51.67	1.14		20.21	4.26
rice leaf phytolith 2		36.83			55.07			8.10	
rice leaf phytolith 3	10.08	31.46			41.68			13.06	3.71
rice leaf phytolith 4		40.61	3.61	0.67	39.43			8.69	6.98
<i>Than</i> tree leaf phytolith 1	6.67	6.98	7.43		41.8	1.2		15.6	12.21
<i>Than</i> tree leaf phytolith 2	2.33	14.96	6.14		57.97			16.16	2.44
<i>Than</i> tree leaf phytolith 3	3.09	12.41	22.93		7.34	8.39	0.79	11.21	33.84
<i>Than</i> tree leaf phytolith 4	4.09	13.08	7.34		41.84	0.87		10.14	22.63

potassium and magnesium, similar to glass. It is well known that K_2O , Na_2O , CaO , MgO , PbO , Ba_2O_3 are the typical metal oxides used as fluxing agent to reduce the melting temperature of SiO_2 in the production of glass, and different metal oxides can be used to produce a variety of glass with diverse features. Therefore, the reaction of phytoliths to heat is also similar to that of glass, namely: the higher the concentration of flux elements is, the easier the glass will soften under high temperature.

Experimental results show the stability of phytoliths samples increases with the percentage of silica present for rice husk phytoliths, rice leaf phytoliths and *Than* tree leaf phytoliths. The predominant element in rice husk phytoliths is silica. Since silica has a melting point above $1700\text{ }^\circ\text{C}$ due to the strong $Si-O-Si$ bonds in the lattice, it is not surprising that rice husk phytoliths can withstand $1100\text{ }^\circ\text{C}$ without deforming.

However, the percentage of silica in rice husk phytoliths is higher than that in rice leaf phytoliths. This difference in the percentage of silica matches the findings that the silica content in ignited samples of rice plants increased between rice leaves and husks [3]. Also the elemental composition of the ash residues from rice leaf phytolith is rich in potassium. The existence of potassium will act as a flux lowering the melting temperature of the silica in the rice leaf phytolith. So it is understandable why rice leaf phytoliths deform when they reach a temperature of $900\text{ }^\circ\text{C}$ [19]. In comparison, the percentage of silica in *Than* tree leaf phytolith is much lower than that of rice husk phytolith. Besides, calcium and magnesium are rich in *Than* tree leaf phytolith. When the temperature is sufficiently high, calcium and magnesium will act as fluxing agents. Especially, the concentration ratio of the flux elements including K, Ca and Mg to Si in *Than* tree leaf phytolith is higher than that in rice husk phytolith and rice leaf phytolith. So it is understandable why *Than* tree leaf phytolith melted to indistinguishable masses when the experimental temperature reached $700\text{ }^\circ\text{C}$ (Table 1).

3.2 Spatial distribution of flux elements in phytoliths

In our experiments, we also found that rice leaf phytolith's shape deforms evenly at the temperature of $900\text{ }^\circ\text{C}$ (Fig. 1d). In comparison, the outside part of *Than* tree leaf phytolith is heavily deformed at $700\text{ }^\circ\text{C}$ (Fig. 2d). To further understand the different behavior of rice leaf phytolith and *Than* tree leaf phytolith at high temperature, we analyzed the distribution of potassium and calcium using the synchrotron radiation μ -XRF mapping since potassium and calcium comprises a high percentage in both phytoliths. The μ -XRF mapping results of potassium and calcium are shown in Figs. 1a, 1b and 2a, 2b using jet color pattern, in which red corresponds to a higher density and blue corresponds to a lower density. As shown in Figs. 1a and 1b, potassium and calcium in the rice leaf phytolith is almost evenly distributed in all parts which might cause the phytolith's shape to deform evenly in a temperature of $900\text{ }^\circ\text{C}$. In comparison, *Than* tree leaf phytolith is found to have a high percentage of potassium and calcium located exclusively on the outside (Figs. 2a and 2b), which might be a reason that the surrounding part of *Than* tree leaf phytolith partly begins to deform in $700\text{ }^\circ\text{C}$. Therefore, the differential distribution of these elements within the phytoliths would result in the different reaction of the different phytolith types at high temperature.

4 Conclusion

Using SEM–EDS experimental evidence indicates that the structural stability of phytoliths from rice husks and rice leaves are related to the elemental composition of the phytoliths of different parts of the plant. Based on synchrotron radiation μ -XRF mapping analysis, the distribution of potassium and calcium in phytoliths from rice leaf and *Than* tree leaf resulted in variability in melting behavior of the two

Fig. 1 Rice leaf phytolith's elemental distribution of potassium (a), calcium (b), and morphology at 600 °C (c) and 900 °C (d) (scale bar, 20 μm)





Fig. 2 *Than* tree leaf phytolith's elemental distribution of potassium (a), calcium (b), and morphology at 600 °C (c) and 700 °C (d) (scale bar, 20 μm)



different types of phytolith. Therefore, we cannot simply assign all phytoliths in a single melting temperature threshold. Rather we need to analyze the actual composition of each phytolith type to understand how the different elements that act as fluxing agents within the silica of the phy-

tolith are distributed in the cells. Without additional analysis of the composition of phytoliths and conduct experiments that replicate the effects that different ancient pyrotechnologies had on phytoliths we cannot estimate the temperatures that ancient fires, pottery kilns or smelting operations

reached based simply on the presence of altered phytoliths alone.

Acknowledgements This study was supported by grants from National Natural Science Foundation of China (41002057) and the CAS Strategic Priority Research Program Grant (XDA05130501).

References

1. D. Bowdery, D.M. Hart, C. Lentfer, L. Wallis, A universal phytolith key, in *Phytoliths: Applications in Earth Sciences and Human History*, ed. by J.D. Meunier, F. Colin (2001), pp. 267–278
2. J. Crespín, A. Alexandre, F. Sylvestre, C. Sonzogni, C. Pailles, V. Garreta, IR laser extraction technique applied to oxygen isotope analysis of small biogenic silica samples. *Anal. Chem.* **80**, 2372–2378 (2008)
3. T.P. Ding, G.R. Ma, M.X. Shui, D.F. Wan, R.H. Li, Silicon isotope study on rice plants from the Zhejiang province. *China Chem. Geol.* **218**, 41–50 (2005) (in Chinese)
4. R. Elbaum, C. Melamed-Bessudo, N. Tuross, A.A. Levy, S. Weiner, New methods to isolate organic materials from silicified phytoliths reveal fragmented glycoproteins but no DNA. *Quat. Int.* **193**, 11–19 (2009)
5. H. Mullock, Xuan Paper. *Paper Conserv.* **19**(1), 23–30 (1995)
6. M. Horrocks, Y. Deng, J. Ogden, D. Sutton, A reconstruction of the history of a Holocene sand dune on Great Barrier Island, northern New Zealand, using pollen and phytolith analyses. *J. Biogeogr.* **27**, 1269–1277 (2000)
7. E. Kelly, R. Amundson, B. Marino, M. Deniro, Stable isotope ratio of carbon in phytoliths as a quantitative method of monitoring vegetation and climate change. *Quat. Res.* **35**, 222–233 (1991)
8. T. Li, Y. Wu, C. Wang, Phytolith analysis: a novel approach to characterize and identify the plant materials used in ancient Chinese handmade paper? A preliminary case study. *J. Cult. Prop. Conserv.* **8**, 40–47 (2009) (in Chinese)
9. D.M. Pearsall, *Paleoethnobotany: A Handbook of Procedures*, 2nd edn. (Academic Press, San Diego, 2000)
10. D.M. Pearsall, Maize is still ancient in prehistoric Ecuador: the view from Real Alto, with comments on Staller and Thompson. *J. Archaeol. Sci.* **29**, 51–55 (2002)
11. D.R. Piperno, *Phytolith Analysis: An Archaeological and Geological Perspective* (Academic Press, San Diego, 1988)
12. D.R. Piperno, *Phytoliths: A Comprehensive Guide for Archaeologists and Paleoecologists* (Alta Mira Press, Lanham, 2006), p. 238
13. D.R. Piperno, K.E. Stothert, Phytolith evidence for early Holocene cucurbita domestication in southwest Ecuador. *Science* **299**, 1054–1057 (2003)
14. A.M. Rosen, Preliminary identification of silica skeletons from Near Easter archaeological sites: an anatomical approach, in *Phytolith Systematics: Advances in Archaeological and Museum Science*, ed. by G. Rapp Jr., S.C. Mulholland (Plenum, New York, 1992), pp. 129–147
15. I. Rovner, J.C. Russ, Darwin and design in phytolith systematics: morphometric methods for mitigating redundancy, in *Phytolith Systematics*, ed. by G. Rapp, S.C. Mulholland (Plenum, New York, 1992), pp. 253–276
16. J.C. Russ, I. Rovner, Stereological verification of Zea phytolith taxonomy. *Phytolith. Newsl.* **4**, 10–18 (1987)
17. R. Shahack-Gross, F. Marshall, S. Weiner, Geo-ethnoarchaeology of pastoral sites: the identification of livestock enclosures in abandoned Maasai settlements. *J. Archaeol. Sci.* **30**, 439–459 (2003)
18. P.C. Twiss, Grass-opal phytoliths as climatic indicators of the great plains Pleistocene, in *Quaternary Environments of Kansas*, 5th edn., ed. by W.C. Johnson (1987), pp. 179–188
19. Y. Wu, C. Wang, D.V. Hill, The transformation of phytolith morphology as the result of their exposure to high temperature. *Microsc. Res. Tech.* **7**, 852–855 (2012)